


11/09/05



5332 Dansher Road
 Countryside, Illinois 60525

MATERIAL SAFETY DATA SHEET

MSDS No. N034

Revision Date: 8/23/2004

Emergency Phones: 708-579-8100 (NYCO)

800-424-9300 (CHEMTREC)

PLEASE NOTE: This MSDS is being provided to your company for the purpose of providing current health and safety information to your management and for your employees who work with this material. Please read the information on these sheets, and then provide this information to those people at your company whose responsibility it is to comply with FEDERAL and STATE RIGHT-TO-KNOW regulations. Also make this information available to any employee who requests it. It is your obligation to comply with these regulations.

SECTION I - PRODUCT IDENTITY

PRODUCT NAME: Thick N' Stick

Formula: Mixture, solvents and detergents in water.

Chemical Type: As above

HMIS RATINGS

Health = 1 (Slight)	Flammability = 1 (Slight)
Reactivity = 0 (Minimal)	Protection = B (Safety Glasses, Gloves)

SECTION II - HAZARDOUS INGREDIENTS

	PERCENT	TLV	CARCINOGEN (OSHA, TP, IARC)
2-Butoxyethanol CAS No. 111-76-2	<3%	25 ppm	No
Isopropanol CAS No. 76-73-0	<5%	500 ppm STEL 400 ppm	No

SECTION III - CHEMICAL AND PHYSICAL

Appearance: Clear pink liquid Odor: Fresh & clean pH: 11-12 Water Solubility: Complete Viscosity, Cp. @ 25°C: A-B (Gardner)	Boiling Point: 210° F. Melting Point: N/A Spec. Gravity (H ₂ O = 1): 1.02 Vapor Pressure (mm Hg): N/A VOC Content: 5%
---	--

SECTION IV - FIRE AND EXPLOSION HAZARDS

Flash Point (Method): > 200° F. Cl, cp, est.	Explosion Limits:	Upper: N/A Lower: N/A
Extinguishing Media: Water fog, CO ₂ , halon system, foam Special Firefighting Procedures and Hazards: Minimize prolonged skin and eye contact. Wear eye protection if exposure is likely.		

SECTION V - REACTIVITY INFORMATION

Stable: <input checked="" type="checkbox"/>	Unstable: <input type="checkbox"/>
Precautions: Incompatibility: None known Hazardous Decomposition Products: If in a fire: CO, CO ₂ , hydrocarbons.	
Hazardous Polymerization: Occurs: <input type="checkbox"/> Does Not Occur: <input checked="" type="checkbox"/>	

SECTION VI - HEALTH HAZARDS - PROTECTIVE MEASURES - FIRST AID

Inhalation: Breathing of mists may cause irritation. Remove to fresh air. Give artificial respiration or oxygen if needed.

Skin: Extended contact may cause irritation. Prolonged contact with 2-butoxyethanol may result in the absorption of potentially harmful amounts leading to possible liver and kidney damage. Flush skin with water for 15 minutes. Wear protective gloves if needed. Get medical attention for any irritation.

Eyes: Can cause irritation. Wear goggles as needed. Flush immediately with water.

Ingestion: No effects reported. Avoid swallowing. Drink lots of water or, preferably, milk. Get medical attention if effects persist.

Most likely routes of entry: Skin, Eyes.

Other Important Medical or Precautionary Information: None

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Spills and Leaks: Small spills can be flushed into normal drainage or into ground with copious amounts of water, or taken up with absorbent material. Do not drain to sewer without dilution. Larger spills should be contained by diking or other methods and held for disposal or reuse.

Storage and Handling: Check daily for any leaks from containers, vessels, pumps, and piping. Do not heat above 165° F. Keep away from heat and ignition sources.

Waste Disposal: May be disposable in sewers if diluted and if local regulations permit. Otherwise, send to licensed treatment and disposal center. Rinse well before handling and disposal. Observe label precautions.

Empty Containers: Rinse well before handling and disposal. Observe label precautions.

Other Precautions: N/A

SECTION VIII - REGULATORY INFORMATION

Reportable for SARA Title III, S.313 (Form R): 2-Butoxyethanol

The information herein has been compiled from sources believed to be reliable and is accurate to the best of our knowledge. However, NYCO Products Company cannot give any guarantees regarding information from other sources, and expressly does not make any warranties, nor assumes any liability, for its use.