



For Supply Reorder Number:

MSDS Number:	OCE 166, REV A	Issued:	June 26, 2002 June 3, 2005	
	Océ Imagistics Inc.	Revised:		
Product Name:	Toner for the C650 Copier		Page: 1 of 6	

SECTION I - PRODUCT IDENTIFICATION

Product Name:

Toner for the C650 Copier

or

Reorder Number:

424-0

Manufacturer:

Océ Imagistics Inc.

Address:

100 Oakview Drive

City:

Trumbull

State:

CT

Zip:

06611-4724

For MSDS copies:

203-365-7025

Emergency/Chemtrec:

800-424-9300

Effective Date: Print Date:

June 26, 2002 4/24/2006

INGREDIENT NAME	CAS No.	%	EXPOSURE LIMITS		
Toner powder (regulated as particulates not otherwise classified - PNOC)	mixture	proprietary	10 mg/m3, TWA (inhalable) TLV, 15 mg/m3 TWA - PEL (Total Dust)		
Carbon Black	1333-86-4	proprietary	3.5 mg/m3 TWA TLV, 3.5 mg/m3 TWA - PEL		

"www.Imagistics.com"

Additional Information

May Contain Non-Hazardous Ingredients: Styrene acrylate copolymer, polyolefin wax, organic pigments, ferrite

SECTION III - HAZARD IDENTIFICATION

Emergency Overview:

Black powder with a faint odor. High concentrations of dust suspended in air may present a dust explosion hazard. Inhalation of dust may cause minor respiratory irritation. Prolonged inhalation overexposure may

result in lung damage.

Relevant Routes of Exposure:

Skin, eyes, inhalation

Signs and Symptoms of Acute Overexposure:

May cause mild eye irritation. No animal testing was performed with this

specific product, however, based on animal testing with products of similar composition, eye irritation would be expected to be mild. This

product is not a skin irritant.

Signs and Symptoms of Chronic Overexposure:

Prolonged inhalation of dust in excess of the exposure limits (as with any nuisance dust) may result in lung damage. Overexposure to dust in the normal use of this product is not expected.

Medical Conditions Generally Aggravated By Exposure: Potential Health Effects:

None known.

Eyes:

May cause mild irritation. No adverse effects expected.

Skin: Ingestion:

No adverse effects expected. This product is not acutely toxic by

Inhalation:

Could be a route of exposure, but unlikely under normal use. Inhalation



For Supply Reorder Number:

424-0

MSDS Number:	OCE 166, REV A	Issued:	June 26, 2002	
	Océ Imagistics Inc.	Revised:	June 3, 2005	
Product Name:	Toner for the C650 Copier		Page: 2 of 6	

SECTION III - HAZARD IDENTIFICATION

of toner powder may cause mucous membrane and respiratory irritation.

Prolonged and repeated overexposure may cause lung damage.

Carcinogenicity:

NTP:

IARC: In 1996 IARC re-evaluated carbon black as a group 2B carcinogen

(possible human carcinogen). Carbon black is a minor component of the total toner mixture. We believe that IARC's findings are not applicable to the typical uses and levels of exposure to toners or developers by our

customers and service personnel.

OSHA: ACGIH: No

OTHER:

No No

SECTION IV - FIRST AID MEASURES

Eyes: Do not rub eyes. Immediately flush with plenty of running cool to

lukewarm water, holding eye lids open to assure thorough rinsing. Get

medical attention if irritation persists or for foreign body in the eyes.

Skin:

Wash with soap and water.

Ingestion:

If swallowed, dilute with water. DO NOT induce vomiting. Never give

fluids or induce vomiting if the victim is unconscious or having

convulsions. Get medical attention.

Inhalation:

Remove person to fresh air. Wash nostrils, rinse mouth. If irritation or

pulmonary symptoms develop, consult a physician.

SECTION V - FIRE FIGHTING PROCEDURES

Flammable Limits in Air (% by

Volume):

Not determined

Flash Point:

Not applicable

Autoignition Temperature:

Approximately 450°C

Extinguishing Media:

Water spray, CO₂, dry chemical powder, or foam.

Fire Fighting Instructions:

Wear self-contained breathing apparatus and protective clothing to

prevent contact with skin and eyes. Do not use methods that may create

a dust cloud, such as high pressure water.

Unusual Fire and Explosion

Hazards:

Toner powder can form explosive mixtures with air at high

concentrations.

Known or Anticipated Hazardous

Emits toxic fumes under fire conditions.

Products of Combustion:

SECTION VI - ACCIDENTAL RELEASE MEASURES



For Supply Reorder Number:

424-0

MSDS Number:	OCE 166, REV A	Issued:	June 26, 2002	
	Océ Imagistics Inc.	Revised:	June 3,	2005
Product Name:	Toner for the C650 Copier		Page:	3 of 6

SECTION VI - ACCIDENTAL RELEASE MEASURES

Accidental Release Measures:

Carefully sweep material onto paper, or vacuum taking care not to generate airborne dust. Do not use vacuum if large amounts are

released due to risk of dust explosion.

Personal Precautions:

Environmental Precautions:

Avoid inhalation of dust. It is recommended to keep away from drains, surface and ground water.

Sweep material onto paper, or vacuum small amounts.

Methods for Cleanup:

Large Spill:

Not sold in large quantities.

Small Spill:

Sweep material onto paper or vacuum small amounts. Avoid generating

airborne dust.

SECTION VII - HANDLING AND STORAGE

Handling:

Avoid inhalation of toner dust. Avoid direct contact with toner. Keep

container closed when not in use.

Storage:

Store in a cool, dry place. Keep container closed. Keep out of the reach

of children.

Other Precautions:

Not required under normal use.

Section VIII - Exposure Controls & Personal Protection

Engineering Controls:

None required with normal use.

Ventilation Requirements:

Personal Protective Equipment:

General office ventilation.

Eye/Face Protection:

Skin Protection:

Not required under normal use.

Not required under normal use.

Respiratory Protection:

Not required under normal use.

Other Protective Clothing

Not required under normal use.

or Equipment:

Exposure Guidelines:

See Section II

SECTION IX - PHYSICAL & CHEMICAL PROPERTIES

Appearance:

Black powder with faint odor.

Boiling Point:

Not applicable

Color:

Black

Freezing Point:

No data

Melting Point:

Octanol/Water Partition

>120 C No data

Coefficient:

Odor:

Faint odor

Odor Threshold:

No data

Percent Volatile:

Not applicable

pH Value:

Not applicable

pH Concentration:

Not applicable

Physical State:

Powder



For Supply Reorder Number:

424-0

MSDS Number:OCE 166, REV A
Océ Imagistics Inc.Issued:
Revised:June 26, 2002
June 3, 2005Product Name:Toner for the C650 CopierPage:4 of 6

SECTION IX - PHYSICAL & CHEMICAL PROPERTIES

Reactivity in Water:

None

Solubility in Water:

Negligible

Specific Gravity or Density

1.15

(Water=1):

Vapor Density:

Not applicable

Vapor Pressure:

Not applicable

Vapor Pressure Temperature:

Not applicable

Volatile Organic Compounds:

No data

Water/Oil Distribution Coefficient:

No data

Weight Per Gallon:

Not applicable

SECTION X - STABILITY AND REACTIVITY

Stability:

Stable

Conditions to Avoid:

Avoid excessive heat and electrical discharge. Do not throw into fire.

Carbon dioxide, carbon monoxide and other toxic fumes.

Incompatibility With Other

Materials:

Strong oxidizing materials.

Hazardous Decomposition

Products:

Hazardous Polymerization:

Conditions to Avoid:

Will not occur. Not applicable

SECTION XI - TOXICOLOGICAL INFORMATION				
VALUE	ANIMAL	ROUTES	COMPONENTS	
LC50: > 1.79 mg/l/4 hr	Rats	Inhalation	Product	
LD50: > 5,000 mg/kg	Rats	Oral	Product	
LD50: No data available		Dermal	Product	

Additional Information

Note: No animal testing was performed with this specific product. The values above are derived from previous testing of products with similar composition. Similar products have been found to be negative in skin sensitization tests with guinea-pigs. This product tested negative in the AMES test for mutagenicity.

SECTION XII - ECOLOGICAL INFORMATION

Ecological Information:

No data available

SECTION XIII - DISPOSAL CONSIDERATIONS

Disposal Considerations:

Dispose in accordance with local, state, and federal regulations.

SECTION XIV - TRANSPORT INFORMATION

U.S. DOT

Proper Shipping Name:

Not regulated

Hazard Class:

Not applicable



For Supply Reorder Number:

424-0

MSDS Number:	OCE 166, REV A Issued:		June 26, 2002	
	Océ Imagistics Inc.	Revised:	June 3,	2005
Product Name:	Toner for the C650 Copier		Page:	5 of 6

SECTION XIV - TRANSPORT INFORMATION

ID Number:

Not applicable

Packing Group:

Not applicable

Labels:

None

Special Provisions:

None

Packaging Exceptions:

Not applicable

Non-Bulk Packaging: **Bulk Packaging:**

Not applicable Not applicable

Air/Rail Limit:

None

Air Cargo Limit:

None

Vessel Stowage:

Not applicable Not applicable

Other Stowage: Reportable Quantity:

None

Proper Shipping Name:

AIR - ICAO OR IATA Not regulated

Hazard Class:

Not applicable

ID Number:

Not applicable Not applicable

Risk:

Not applicable

Packing Group:

Hazard Labels:

None

Packing Instructions:

Not applicable

Air Passenger/Cargo Limit Per

Not applicable

Package:

Packing Instruction - Cargo:

Not applicable

Air Cargo Limit Per Package:

Not applicable

Special Provisions Code:

None

WATER - IMDG

Proper Shipping Name:

Not regulated

Hazard Class:

Not applicable Not applicable

ID Number:

Not applicable

Packing Group:

Not applicable

Emergency Procedures Code:

Not applicable

Medical First Aid Guide Code:

Not applicable

SECTION XV - REGULATORY INFORMATION

U.S. Federal Regulations:

See below

State Regulations:

This product contains no chemicals subject to California Proposition 65.

International Regulations:

EU: Not classified as a dangerous material. All of the components are listed on the EINECS inventory Canada: Not a controlled product.

SARA Hazards:

Acute:

No

Chronic:

No

Reactive:

No



For Supply Reorder Number:

424-0

MSDS Number:	OCE 166, REV A	Issued:	June 26	, 2002
	Océ Imagistics Inc.	Revised:	June 3,	2005
Product Name:	Toner for the C650 Copier		Page:	6 of 6

SECTION XV - REGULATORY INFORMATION Fire: No Pressure: No

Additional Information

This product does not contain chemical or chemical compounds listed in the following SARA Title III categories: Extremely Hazardous Substances (302), Toxic Chemical Release Reporting (313). All the components of this product are listed in the EPA TSCA Inventory.

SECTION XVI - OTHER INFORMATION

NFPA Codes:

Health: 1
Flammability: 1
Reactivity: 0
Other: 0

HMIS Codes:

Health: 1 Flammability: 1 Reactivity: 0

Protection:

Other Information:

Keep out of reach of children.