VIEL SMITH INC

4130 FIRST AVENUE SOUTH • SEATTLE, WASHINGTON 98134 • (206) 223-9599

MATERIAL SAFETY DATA SHEET

DATE OF PREPARATION Jan 5, 1988

INFORMATION TELEPHONE NO.

(204) 223-9599

	SECTION I	PRODUCT IDEN	TIFICATIO	n		
Product Name:	Vermillion Lithographic Ink			HMIS DATA:		
Product Number: Chemical Name:	9375011 Oxidizing type	offset ink	F.	ealth Lammability	1	
CAS Number:	N/A (mixture)			eactivity Totection	B	
	SECTION II - I	HAZARDOUS IN	GREDIENTS	n		
Ingredient		Percent Weight		cupational osure Limits PEL	<i>.</i>	
Aliphatic Hydrocarbon Solvent		8 - 28%	N/A	NZA	12 12 13 13 14 14 14 14 14 14 14 14 14 14 14 14 14	

SECTION III - PHYSICAL CHARACTERISTICS Boiling Range: 510-600°F Vapor Pressure: NZA Melting Point: N/A Vapor Density: Heavier than air Specific Gravity (H2O=1): >1 % Volatile Weight: 8 - 28% Viscosity: >100,000 cps Evaporation Rate: Slower than BuOAc Appearance and Odor: paste/oily SECTION IV - FIRE AND EXPLOSION HAZARD DATA

DOT Hazard Class: None Flash Point: >200°F

Flammable Limits (Percent in Air): LEL N/A

UEL N/A

Extinguishing Media: Dry chemical, foam, or CO2.

Special Fire Fighting Procedures: Self-contained respiratory equipment should be worn to avoid inhalation of concentrated vapors. Use water to keep containers cool.

SECTION V - HEALTH HAZARD DATA

Emergency and First Aid Procedures (Routes of Entry):

Eye Contact: Flush with water for at least 15 min.; get medical attention if necessary.

Inhalation: Remove individual to fresh air.

Skin:

Wash with soap and water.

Ingestion:

DO NOT INDUCE VOMITING. Get medical attention.

Medical Conditions Prome to Aggravation by Exposure: None known.

Effects of Overexposure: Skin contact: Prolonged contact may result in irritation, reduces, dermatitis. Eye contact: may cause redness, irritation: Ingestion: may cause nausea, vomiting.

SECTION VI - REACTIVITY DATA

Stability: Froduct is stable.

Conditions to Avoid: Excessive temperature, direct heat.

Incompatibilities (Materials to Avoid): Strong oxidizing agents.

Hazardous Decomposition or By-products: None known.

Hazardous Polymerization: None known

SECTION VII - SPILL OR LEAK PROCEDURE

Steps to take in case Material is Spilled or Released: Eliminate all sources of ignition. Soak up spill with absorbent material and remove to open air.

Waste Disposal Method: Atomire into incinerator or contact hazardous waste disposal facility.

SECTION VIII - INDUSTRIAL HYGIENE CONTROL MEASURES

Ventilation: Use only in areas with adequate ventilation.

Respiratory Protection: None required with normal use.

Protective Gloves: Rubber or vinyl.

Eye Protection: Face shield or goggles, if eye contact is probable.

Other Protective Clothing or Equipment:

Work/Hygiene Practices: Normal cleanup procedures.

SECTION IX - SPECIAL PRECAUTIONS

Precautions to be taken in Handling and Storing: Store away from tire and flame, keep containers closed.

Other Precautions: Do not store in unmarked containers.

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof. Baniel Smith, Inc. assumes no responsibility for personal injury or property damage to users or third parties caused by the material. Such users assume all risks associated with the use of the material.