



turtle wax®

NFPA RATING  
HEALTH = 0  
FLAMMABILITY = 1  
REACTIVITY = 0

**Material Safety Data Sheet**  
May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

**U.S. Department of Labor**  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

AUG 06 1993

T-250

**IDENTITY (As Used on Label and List)**  
**VINYL - FABRIC UPHOLSTERY CLEANER, T-250**

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

**Section I**

Manufacturer's Name <b>TURTLE WAX, INC.</b>	Emergency Telephone Number <b>NA</b>
Address <b>5655 WEST 73RD STREET</b>	Telephone Number for Information <b>(708) 563-3600</b>
<b>CHICAGO, IL 60638</b>	Date Prepared <b>3/1/90</b>
	Signature of Preparer (optional)

**Section II - Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity: Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
<b>PETROLEUM DISTILLATES (CAS #64475-85-0)</b>	<b>5 MG/M<sup>3</sup></b>	<b>5 MG/M<sup>3</sup></b>	<b>NA</b>	<b>2.9%</b>
<b>PROPANE (CAS #74-98-6)</b>	<b>1000 PPM</b>	<b>1000 PPM</b>	<b>NA</b>	<b>1.8%</b>
<b>ISOBUTANE (CAS #75-28-5)</b>	<b>1000 PPM</b>	<b>1000 PPM</b>	<b>NA</b>	<b>1.8%</b>

**Section III - Physical/Chemical Characteristics**

Boiling Point	<b>NA</b>	Vapor Pressure (mm Hg.)	<b>70°F</b>	<b>55 PSIG</b>	Vapor Density (AIR = 1)	<b>NA</b>
Specific Gravity (H <sub>2</sub> O = 1)	<b>0.992</b>	Melting Point		<b>NA</b>	Evaporation Rate (Butyl Acetate = 1)	<b>NA</b>
Solubility in Water	<b>UNLIMITED</b>					
Appearance and Odor	<b>AEROSOL FOAM. ODOR: TYPICAL.</b>					

**Section IV - Fire and Explosion Hazard Data**

Flash Point (Method Used)	<b>NA</b>	Flammable Limits	<b>NA</b>	LEL	<b>NA</b>	UEL	<b>NA</b>
Extinguishing Media	<b>CARBON DIOXIDE, CHEMICAL FOAMS, WATER SPRAY</b>						
Special Fire Fighting Procedures	<b>NA</b>						
Unusual Fire and Explosion Hazards	<b>NA</b>						

**Section V - Reactivity Data**

Stability	Unstable		Conditions to Avoid
	Stable	<b>X</b>	<b>NA</b>
Incompatibility (Materials to Avoid)	<b>NA</b>		
Hazardous Decomposition or Byproducts	<b>NA</b>		
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	<b>X</b>	<b>NA</b>

**Section VI – Health Hazard Data**

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
Health Hazards ( <i>Acute and Chronic</i> )	NA	NA	NA
Carcinogenicity:	NTP? NA	IARC Monographs? NA	OSHA Regulated? NA
Signs and Symptoms of Exposure	EYE IRRITANT		
Medical Conditions Generally Aggravated by Exposure	NA		

Emergency and First Aid Procedures

EYE CONTACT: WASH THOROUGHLY WITH WATER FOR 15 MINUTES.

**Section VII – Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material Is Released or Spilled

ELIMINATE SOURCES OF SPARK AND FLAME. ABSORB WITH EARTH OR SAWDUST. COLLECT INTO CONTAINERS.

Waste Disposal Method

LANDFILL

Precautions to Be Taken in Handling and Storage

PRESSURE CAN - DO NOT PUNCTURE, INCINERATE, OR STORE ABOVE 120°F.

Other Precautions

NA

**Section VIII – Control Measures**

Respiratory Protection ( <i>Specify Type</i> )		NA	
Ventilation	Local Exhaust	YES	Special NA
	Mechanical ( <i>General</i> )	NA	Other NA
Protective Gloves	NA	Eye Protection	SPLASH GOGGLES
Other Protective Clothing or Equipment	NA		
Work/Hygienic Practices	NA		