[MSDS NO. EX5004D-000]

DATE Feb. 26,2001 p. 1/3

MATERIAL SAFETY DATA SHEET

PRODUCT & COMPANY IDENTIFICATION

PRODUCT NAME

X stamper Ink Y-30

(Black, Red, Green, Blue, Purple)

NAME OF MANUFACTURER/SUPPLIER

Shachihata Inc.

NAME OF SECTION

Research and Development Dept.

ADDRESS

4-69, Amatuka-chou, Nishi-ku, Nagoya-shi, Aichi-ken, Japan

TELEPHONE NUMBER

052/521/1466

FAX NUMBER

052/521/1468

COMPOSITION / INFORMATION ON INGREDIENTS

SUBSTANCE / MIXTURE

Mixture

HAZARDOUS INGREDIENTS

CHEMICAL OR COMMON NAME(S)	CAS NO.	INGREDIENTS(wt.%)	
Castor Oil Derivative		40- 60	
Ethyl Alcohol	64-17 - 5	5- 15	
Glycohol Ether Group	_	- 5- 15	
Alcohol Group			5- 15
Synthetic Resin		1- 10	0 1,0
Synthetic Dye			5- 15
		100	

HAZARDS IDENTIFICATION

CLASS NAME OF HAZARDS CHEMICALS FOR MSDS IN JAPAN

Flammable liquids

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids

ADVERSE HUMAN HEALTH HAZARDS

Harmful in contact with eye or if swallowed.

FIRST-AID MEASURES

EYE CONTACT

Immediately flush with plenty of water.

See medical advice immediately.

SKIN CONTACT

Wipe off with dry cloth and wash with mild soap.

INHALATION

Move to well ventilated place.

INGESTION

··· See medical advice immediately.

[MSDS NO. EX5004D-000 1

DATE Feb.26,2001 p. 2/3

5. FIRE-FIGHTING MEASURES

SPECIFIC HAZARDS WITH REGARD TO FIRE-FIGHTING MEASURES

In case of fire, use foam dry chemicals.

EXTINGUISHING MEDIA

Dry chemical powder, foam or carbon dioxide.

6.	ACCIDE	NTAL	RELEASE	MEASURES

Wipe off with dry cloth.

7. HANDLING AND STORAGE

HANDLING

Use only in the well-ventilated areas. Avoid contact with skin or eyes. Avoid inhalation and ingestion.

Avoid high temp, and fire.

STORAGE

Store in a cool and dry location.

Keep bottle tightly closed.

Keep away from heat or sunlight.

8. EXPOSURE CONTROL / PERSONAL PROTECTION

CONTROL PARAMETERS

Ethyl alcohol

ACGIH TLV (1990-91) TWA OSHA PEL(1993) 1000ppm(1880mg/m₃)

1000ppm(1990mg/m₃)

ENGINEERING MEASURES

Not required.

PERSONAL PROTECTIVE EQUIPMENT

Not required.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR

Liquid, minor solvent odor.

DENSITY(g/cm₃)

1.0

BOILING POINT

No data available

VOLATILE(wt.%)

5~10

SOLUBILITY IN WATER

Insoluble

[MSDS NO. EX5004D-000]

DATE Feb.27,2001 p. 3/3

10. PHYSICAL HAZARD(STABILITY AND REACTIVITY)

FLASH POINT

40 □ (closed cup)

AUTOIGNITION TEMPERATURE

380 □

EXPLOSION LIMIT

No data available.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY

Ethyl alcohol

Oral

LD₅₀ (rat)

7,060mg/Kg

Inharation LC₅₀ (rat) 20,000ppm/10H

12. ECOLOGICAL INFORMATION

No data available.

13, DISPOSAL CONSIDERATION

Disposal as usual industrial waste goods, follow all regulations in your country.

14. TRANSPORT INFORMATION

Follow all regulations in your country.

UN NUMBER

1210

UN CLASS

3.3(Flammable liquids)

15. REGULATORY INFORMATION

Follow all regulations in your country.

16. OTHER INFORMATION

The information herein is given in good faith, but no warranty, express or implied, is made.

94-F L-Y-30⁺,a