MATERIAL SAFETY DATA SHEET (OSha 174 Sept 1985 Format) Sept 1986 Product Identity: York Oil C Manufacturer's Name: Summit Manufacturing Co. 7649 Canton Center Dr. Baltimore Md. Zip Code: 21224 (301) 282 3880 Telephone Number: Emergency Number: (301) 676 7373 SECTION 2 Hazardous Ingredients/Identity Information ACGIH TLV . OTHER LIMITS OSHA PEL Hazardous Components: Mixture, Refined Petroleum 5mg/MMM Hydrocarbons.

SECTION 3 Physical Characteristics sp. Gravity: 0.932 to 0.901 Boiling Pt: Min. 260 degree Cent. Vap. Press: Less Than 0.001 mm Hg. Meit.Pt: N/A Evap. Rate: N/A Vap. Density: N/A Solubility in water: Negligable. Appearance: Pale Straw/Amber Liquid. Odor: Slight Oil Odor. SECTION 4 Fire and Explosion Hazard Data Flash Point: 150 degree Cent. Min. Method. C.O.C. Flammable Limits: N/A LEL: N/A UEL: N/A

Dry chemical, Carbon Dioxide, Water Fog, Sand, Earth.

Special Fire Fighting Procedures:

Do not flood with water. Use above noted materals.

Wear self contained breathing apparatus.

Unusual Fire and Explosion Hazards:

Extinguishing Media:

SECTION 5 Reactivity Data Unstable : Stability: Stable! X ! Conditions to Avoid SECTION 5 (Continued) Incompatability (Materials to Avoid): May react with strong oxidising agents such as Chromic Acid, Hydrogen Peroxide, Etc. Hazardous Decomposition Products: Carbon Dioxide, Carbon Monxide, Water. Hazardous Polymerisation: Will Not Occur ! X ! May Occur ! conditions to avoid: SECTION 6 Health Hazard Data _____ Routes of Entry: innalation? Not expected. Skin? Not expected. ingestion? Health Hazards(Acute and Chronic) : None Expected. May cause skin irritation on prolonged contact. carcinogenicity: Not carcinogenic. NTP? IARC Monograph? NO OSHA Regulated? Signs and Symptoms of Exposure: Minor skin irritation. Medical Conditions Generally Agravated by Exposure: None known Emergency and First Aid Procedures: Flush eyes with large ammounts of water. Wash skin with soap and water. Rinse thoroughly with warm water. If irritation persists consult a physician. If ingested consult a physician. SECTION 7 Precautions For Safe Handling and Use Steps to Be Taken in Case Material is Released or Spilled: Contain spill. Using vaccuum equipment,

transfer liquid into drums. Adsorb residue wih oil adsorbant

material and handle as solid waste.

Liquid Waste: Reclaim as used oil through

normal waste oil channels.

Solid waste: Dispose of Solid waste in accordance with Local, State, or Federal Regulations.

Precautions to se Taken in Handling and Storage: Wear protective clothing. Use only oil resistant noses and equipment.

Other Precautions:

None

SECTION 8 Control Measures

Respiratory protection (Specify Type) None normally required.

ventilation

Local Exhaust?None normally required. None normally required. Mechanical? special? other?

protective Clothing:

Oil resistant. Chemical splash resistant goggles. Eye. protection? Oil resistant boots. clothes?

Work/Hygenic Practice:

Wash cotaminated skin with soap and water. Replace contaminated clothing.