MATERIAL SAFETY DATA SHEET

Product Name: ZONAL PRO EC RAPID FIX (CONC)

Part #:54-312/315/317

SECTION I SUPPLIER INFORMATION

: ZONAL PRO EC RAPID FIX (CONC) Common Name

Chemical Name : MIXTURE Formula/CAS : NA

Supplier #:ALTA

Supplier : ALTA PHOTOGRAPHIC, INC.
Address : 11526 SORRENTO VALLEY RD

CA 92121 Phone: 619-453-5010 Tity, St, Zip: SAN DIEGO

******************* EMERGENCY PHONE #: 800-424-9300 *******************

Date Entered: 08-07-92 Date Issued:

Date Revised:

INGREDIENT INFORMATION

SECTION II

AMMONIUM THIOSULFATE

%: CAS #: 7783-18-8 PEL-OSHA: NE TLV-ACGIH: NE

SODIUM SULFITE

CAS #: 7757-83-7 PEL-OSHA: 5MG/M3 TLV-ACGIH: 5MG/M3

ACETIC ACID

%: CAS #: 64-19-7 PEL-OSHA: 10PPM TLV-ACGIH: 10PPM

THIS PRODUCT IS IDENTIFIED AS A HAZARDOUS CHEMICAL UNDER THE OSHA WARNING: HAZARDOUS COMMUNICATIONS STANDARD (29 CFR 1910.1200) DUE TO THE PRESENCE OF INGREDIENT(S) CITED ABOVE.

THIS PRODUCT IS REPORTABLE UNDER THE S.A.R.A. ACT OF 1986, TITLE III, SEC 313 (40 CFR PART 372), DUE TO THE PRESENCE OF ACETIC ACID & SODIUM SULFITE.

THIS PRODUCT DOES NOT CONTAIN ANY KNOWN CHEMICAL(S) REPORTABLE UNDER THE CALIFORNIA SAFE DRINKING & TOXIC WATER ACT OF 1986. (CA PROP 65)

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point : 212 F

Specific Gravity (H20 = 1) : 1.340

20 AUG 1992 MATERIAL SAFETY DATA SHEET Page 2 MSDS 10 #: A-202
SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS continued from previous page.
Melting Point: NA PH=5.10 Vapor Pressure (mm Hg): APPROX 18 Vapor Density (Air=1): APPROX 1 Evaporation Rate (Butyl Acetate=1): APPROX 1 Solubility/Water: COMPLETE PERCENT VOLATILE BY VOLUME: >80% H20

CLEAR TO LIGHT YELLOW SOLUTION, FAINT AMMONIA ODOR.

SECTION IV FIRE AND EXPLOSION HAZARD DATA
Flash Point: NONE Auto-Ignition: NA LEL: NA UEL: NA

WATER, DRY CHEMICAL, ALCOHOL FOAM, CO2 NON-FLAMMABLE. FIGHT FIRE WITH MEDIA APPROPRIATE FOR SURROUNDING MATERIALS.
***************** SPECIAL FIRE FIGHTING PROCEDURES **************
NONE KNOWN.

NONE KNOWN.
SECTION V REACTIVITY DATA
Stability? STABLE
Avoid: NONE

SECTION V REACTIVITY DATA is continued on the next page.

	20 AUG 1992 MATERIAL SAFETY DATA SHEET Page 3 MSDS Id #: A-202						
	SECTION V REACTIVITY DATA is continued from the previous page.						

	Polymerization? POLYMERIZATION WILL NOT OCCUR						
	Avoid: NONE KNOWN.						
	SECTION VI HEALTH HAZARD DATA						

	Ingestion? YES Eyes? YES						

	CONTACT PERSON: JANET ALLETAG R&D LABORATORY MANAGER.						

	NTP? NO IARC? NO OSHA? NO						
	************** ACUTE AND CHRONIC HEALTH HAZARDS ************************************						

SECTION VI HEALTH HAZARD DATA is continued on the next page.

20 AUG 1992 MATERIAL SAFETY DATA SHEET Page 4 MSDS Id #: A-202 SECTION VI HEALTH HAZARD DATA is continued from the previous page. ****** MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE ********* NONE KNOWN. *********** EMERGENCY AND FIRST AID PROCEDURES ******************* INHALATION - REMOVE TO FRESH AIR. SEEK MEDICAL ATTENTION AS NEEDED. IMMEDIATELY FLUSH WITH WATER CONTINUOUSLY FOR AT LEAST EYES 15 MINUTES. SEEK MEDICAL ATTENTION AS NEEDED. - WASH WITH SOAP & WATER. SKIN SEEK MEDICAL ATTENTION AS NEEDED. - DO NOT INDUCE VOMITING. INGESTION CALL A PHYSICIAN & SEEK MEDICAL ATTENTION PROMTLY. TREAT FOR THE PRESENCE OF INGREDIENT(S) CITED IN SECTION II. SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE DOT Classification: N/A ****** STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED ******* WIPE UP SMALL SPILLS WITH A CLOTH OR TOWEL. FOR LARGER SPILLS, ABSORB LIQUID WITH INERT MATERIAL, SUCH AS SAND OR DRY CLAY ABSORBANT. PREVENT RUN-OFF FROM ENTERING DRAINS OR SEWERS. DISPOSAL SHOULD BE IN ACCORDANCE WITH EXISTING FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS. ******** PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE ********* STORE IN COOL, DRY AREA. AVOID FREEZING. KEEP CONTAINER CLOSED WHEN NOT IN USE.

SECTION VIII CONTROL MEASURES is continued on the next page.

AVOID PROLONGED CONTACT WITH SKIN.

20 AUG 1992 MATERIAL SAFETY DATA SHEET Page 5 MSDS Id #: A-212 SECTION VIII CONTROL MEASURES is continued from the previous page.

SECTION	VIII	CONTROL MEA	ASURES	
*****	**** RESPI	RATORY PRO	rection **	******
		NONE.		
*****	*****	* VENTILAT	TION ****	******
	AS NEEDED.			
Special Exhaust:				
Mechanical Exhaust:	AS NEEDED.			
*****	****	OTHER PROT	rection **	******

Gloves: CHEMICAL RESISTANT RECOMMENDED.

Eye Protection: CHEMICAL SAFETY GOGGLES RECOMMENDED.

PROTECTIVE SLEEVES AND IMPERMEABLE APRON.

AVOID CONTACT WITH SKIN OR EYES. ALWAYS WASH UP BEFORE HANDLING PRODUCT & BEFORE EATING, DRINKING, OR SMOKING.

THIS IS THE END OF THE MSDS Id #A-212 Page 5