



AUG 13 1999



MATERIAL SAFETY DATA SHEET

P-201

<input type="checkbox"/>	
<input type="checkbox"/>	
<input type="checkbox"/>	



1337416
1337410
1337412

MSDS:

DATE: 5-1998

COMMON NAME:	Parafilm "X" Pm992 996 998 +999	CHEMICAL FORMULA:
SYNONYMS:	See above	
TRADE NAMES:		
MANUFACTURER:	American National Can Company	
SHIPPING NAME:	DOT	IATA

MATERIAL OR COMPONENT	%	TLV	(REMARKS)
Wax	56		
Polyolefin	44		

BOILING POINT, 760mm Hg	Above 550°F.	MELTING POINT	65°C.
SPECIFIC GRAVITY (H ₂ O = 1)	<1	BULK DENSITY	NA
pH (1% Soln.)	NA	SOLUBILITY IN WATER	Negligible
% VOLATILES BY WEIGHT	NA		
APPEARANCE & ODOR			

IV. FIRE AND EXPLOSION DATA

FLASH POINT (Test Method)	NA	AUTOIGNITION TEMPERATURE	
FLAMMABLE LIMITS IN AIR, % BY VOLUME		LOWER:	UPPER:
EXTINGUISHING MEDIA	Use water fog, foam, dry chemical or CO ₂		
SPECIAL FIRE FIGHTING PROCEDURES	Do not enter confined fire space without proper protective equipment including a NIOSH approved self-contained breathing apparatus.		
UNUSUAL FIRE AND EXPLOSION HAZARD	Smoke produced from Parafilm "M" could generate Carbon Monoxide, Acrolein, Carbon Dioxide and unidentified organic compounds.		

V. HEALTH HAZARD INFORMATION

(REMARKS)

PRIMARY ROUTES OF EXPOSURE: SKIN CONTACT EYE CONTACT
 INHALATION SKIN ABSORPTION INGESTION

EFFECTS OF OVEREXPOSURE:

ACUTE EFFECTS: None

CHRONIC EFFECTS: None

Overexposure may result in the aggravation of existing conditions of the following:

Liver Skin Respiratory System
 Kidneys Eyes Central Nervous System

VI. EMERGENCY AND FIRST AID INFORMATION

EYES:

SKIN:

INHALATION:

INGESTION:

NOTES TO PHYSICIAN:

Parafilm "M"

MSDA: P-201 (Part 2)

HAZARDOUS WASTE LABEL

CONDITIONS CONTRIBUTING TO INSTABILITY: None

INCOMPATIBILITY: None

HAZARDOUS DECOMPOSITION PRODUCTS: None

CONDITIONS CONTRIBUTING TO HAZARDOUS POLYMERIZATION:

HAZARDOUS WASTE LABEL

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:
NA

NEUTRALIZING CHEMICALS:

WASTE DISPOSAL METHODS:
NOTE: Disposal of all waste materials must be accomplished in accordance with applicable local, state and federal regulations.

HAZARDOUS WASTE LABEL

VENTILATION REQUIREMENTS:
Normal industrial ventilation should be employed.

SPECIFIC PERSONAL PROTECTIVE EQUIPMENT: None

RESPIRATORY:
NOTE: This information is provided only as a general guideline to be utilized in conjunction with a full respiratory protection program.

EYE:

GLOVES:

OTHER:

X. SPECIAL PRECAUTIONS

PRECAUTIONARY STATEMENTS:

None

OTHER HANDLING AND STORAGE REQUIREMENTS

None

XI. ADDITIONAL REGULATORY CONCERNS

FEDERAL:

FDA

Complies with the Food, Drug and Cosmetic Act, as amended for use below 150°F.

USDA

CPSC

TSCA

OTHER

STATE: