

DATE PRINTED: 08/28/01

11/23/05

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: H-D Plus® Ultra-Gard Vacuum Pump Oil
IDENTIFICATION NUMBER: PP310, PP370, P10

Supplier Information:

Moraine Liquid Technologies, Ltd
1212 W. Second Street
Oconomowoc, WI 53066

Manufacturers Information:

Moraine Liquid Technologies, Ltd
1212 W. Second Street
Oconomowoc, WI 53066

Emergency Telephone: 1 800 851 0403

Prepared by: Steve Zimmerman Phone: 262 567 7523 Prepare Date: 8/16/2001

NFPA CODE: HEALTH: 0 FIRE: 1 REACTIVITY: 0

CHEMICAL IDENTITY: Petroleum Lubricating Mineral Oil
CAS #64742-65-0 - Range % 95-99.00

SECTION 1 -- HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS: This material does not contain any chemical listed as a carcinogen or potential carcinogen by OSHA, IARC Monographs or National Toxicology Program.

SECTION 2 -- FIRE AND EXPLOSION HAZARDS

FLASH POINT: 415°-435° F

LOWER FLAMMABLE LIMIT: Not Determined
UPPER FLAMMABLE LIMIT: Not Determined

EXTINGUISHING MEDIA: CO2, Dry Chemical, Foam, Water spray; Water fog.

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus with a full face piece.

UNUSUAL FIRE & EXPLOSION HAZARDS: None.

SECTION 3 -- HEALTH HAZARD DATA

ORAL TOXICITY: Greater than 5000 mg/kg in rats. Based on data from components.

EYE IRRITATION: Not expected to cause eye irritation. Based on data from components.

SKIN IRRITATION: Not expected to cause skin irritation. Based on data from components.

OTHER: Unknown.

TLV: None established. Oil mist = 5 mg/cu meter.

PRIMARY ROUTES OF ENTRY: Skin Contact, Skin absorption, Inhalation, Ingestion, Eye Contact.

Vacuum Pump Oil

SECTION 3 -- HEALTH HAZARD DATA****EMERGENCY FIRST AID PROCEDURES****

SKIN: Wash with soap and water.

EYES: Flush eyes with water for 15 minutes.

INHALATION: Remove to fresh air. See physician if irritation persists.

ORAL: Call a physician. Do NOT induce vomiting.

SECTION 4 -- SPECIAL PROTECTION INFORMATION

VENTILATION PROCEDURE: Mechanical ventilation recommended.

EYE PROTECTION: Safety glasses.

GLOVES PROTECTION: Neoprene or nitrile rubber gloves recommended.

SECTION 5 -- PHYSICAL DATA

VAPOR PRESSURE: < 0.1mm Hg @ 20 degrees C

SPECIFIC GRAVITY: .875 approx.

PERCENT VOLATILE: Not Determined

EVAPORATION RATE: Not Determined

APPEARANCE: Amber liquid

pH: Not Determined

WATER SOLUBILITY: Insoluble

VAPOR DENSITY: Not Determined

ODOR: Mild

SECTION 6 -- STABILITY

STABILITY: Stable

INCOMPATIBILITY: Oxidizing agents.

POLYMERIZATION: Will not occur.

THERMAL DECOMPOSITION: Oxides of carbon.

SECTION 7 -- SPILL OR LEAK PROCEDURES

SPILL PROCEDURES: Prevent entry into sewers and waterways. Pick up free liquid for recycle/disposal. Absorb small amounts of inert material for disposal.

WASTE DISPOSAL: If disposed of, this material is believed to be non-hazardous. Disposal should be in compliance with federal, state, and local laws.

SECTION 8 - SPECIAL PRECAUTIONS

SPECIAL PRECAUTIONS: Remove contaminated clothing and launder before use.

SECTION 9 - TRANSPORTATION AND LABELING

DOT PROPER SHIPPING NAME: N.A.
DOT ID NUMBER: None
EPA HAZARDOUS SUBSTANCES: None
PRECAUTIONARY LABELS: None
DOT HAZARD CLASS: N.A.
IMO CLASS: None
ICAO CLASS: None

The information presented herein has been compiled from sources considered to be dependable and is accurate to the best of Moraine Liquid Technologies, Ltd.'s knowledge; however, Moraine Liquid Technologies, Ltd. makes no warranty whatsoever, expressed or implied, of MERCHANTABILITY or FITNESS FOR THE PARTICULAR PURPOSE, regarding the accuracy of such data or the results to be obtained from the use thereof. Moraine Liquid Technologies, Ltd. assumes no responsibility for the injury to recipient or to third persons or for any damage to any property & recipient assumes all such risks.