



# Material Safety Data Sheet

Read/Right Products Division  
 The Texwipe Company  
 650 East Crescent Avenue  
 Upper Saddle River, NJ 07458  
 (201) 327-9100

February 1993  
 TX1231  
 MSDS #0021 - R/R

**SECTION I: PRODUCT IDENTIFICATION AND EMERGENCY INFORMATION**

PRODUCT (TRADE) NAME: Static Stopper (Nonaerosol)  
 PRODUCT IDENTIFICATION NUMBER(S): TX1231  
 CHEMICAL NAME AND SYNONYMS: Hydroalcoholic Solution  
 CHEMICAL FORMULA: Proprietary

EMERGENCY TELEPHONE NUMBERS: The Texwipe Company: 1-800-284-5577  
 Chemtrec (Transportation): 1-800-424-9300

**SECTION II: HAZARDOUS INGREDIENTS**

COMPONENT	CAS #	%	OSHA PEL (ppm)	ACGIH TLV (ppm)
N-Propoxypropanol	1569-01-3	5.00	NA	1000
N,N,N-Trimethyl-1-Dodeconaminium	112-00-5	1.25	NA	NA

NA = NOT AVAILABLE

**SECTION III: PHYSICAL DATA**

BOILING POINT (@ 1 atm °F):	225	% VOLATILE BY VOLUME:	>99.0
VAPOR PRESSURE (mmHg @ 25°C):	24	EVAPORATION RATE (BUTYL ACETATE=1):	>1.0
VAPOR DENSITY (AIR=1):	>1	FORM:	Liquid
% SOLUBLE IN WATER @ 25°C:	100.0	ODOR:	Minimal
SPECIFIC GRAVITY (g/cc @ 25°C):	0.933	APPEARANCE:	Clear

**SECTION IV: FIRE AND EXPLOSION HAZARD DATA**

FLASH POINT F (TCC): NA  
 FLAMMABLE LIMITS (% BY VOLUME): LEL: NA UEL: NA  
 AUTOIGNITION TEMPERATURE F(°C): Not Determined

EXTINGUISHING MEDIA: Carbon dioxide, dry chemical, or alcohol foam. Use water spray to cool fire exposed containers.

SPECIAL FIRE FIGHTING PROCEDURE: Self-contained breathing apparatus may be required.

UNUSUAL FIRE OR EXPLOSION HAZARDS: Material may produce a floating fire hazard under extreme conditions.

NFPA RATING: Health (2)  
 Flammability (1)  
 Reactivity (0)

Classified as an OSHA Class Combustible Liquid Class IIIA

NA = Not Available

SECTION V: HEALTH HAZARD INFORMATION

PRIMARY ROUTES OF ENTRY, SIGNS AND SYMPTOMS OF OVER EXPOSURE, TARGET ORGANS, AND ASSOCIATED TOXICITY INFORMATION:

**INHALATION:** Vapor may be irritating, causing discomfort or stinging sensations in the nose, throat, and chest, with nasal discharge, coughing, and difficulty with breathing. Prolonged exposure to moderately high concentrations may cause dizziness, drowsiness, headache, faintness, weakness, incoordination of movements, speech difficulties, and loss of consciousness.

**INGESTION:** Effects may include stinging or burning sensation in the mouth and throat, and possibly swelling and irritation of the mouth, throat, esophagus and stomach. There may be chest discomfort, abdominal discomfort or pain, nausea, vomiting, diarrhea, dizziness, drowsiness, faintness, weakness, incoordination of movements, speech difficulties, headache, loss of consciousness, and possibly liver and kidney injury. Aspiration into the lungs may occur during ingestion or vomiting, resulting in lung damage.

**EYE CONTACT:** Vapor will cause stinging sensation, blinking, excess tear production, and slight excess redness of the conjunctiva. Contamination with liquid will produce pain, blinking, discharge and a moderate to marked conjunctivitis seen as excess redness and swelling of the conjunctiva.

**SKIN ABSORPTION:** Prolonged and widespread contact may result in the absorption of potentially harmful amounts of material. Effects may include those described for swallowing.

**SKIN CONTACT:** Contact for a few hours may result in the development of mild to moderate local redness and swelling. Sustained contact of many hours may cause more severe redness and swelling.

**CARCINOGENICITY (OSHA/NTP/ACIGH/IARC):** None of the components listed in section are listed as confirmed or suspected carcinogens by these agencies.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** May aggravate existing dermatitis. Vapors can aggravate asthma and inflammatory or fibrotic pulmonary disease.

FIRST AID

**EYE CONTACT:** Immediately flush eyes thoroughly with water and continue washing for at least 15 minutes. Obtain medical attention, preferably from an ophthalmologist, urgently.

**SKIN CONTACT:** Remove contaminated clothing. Wash skin thoroughly with soap and water. If contact has been widespread or prolonged, or if irritation persists, obtain medical attention. Wash clothing before reuse.

**INHALATION:** Remove to fresh air. Give artificial respiration if not breathing. Oxygen may be given by qualified personnel if breathing is difficult. Obtain medical attention.

**INGESTION:** Do not induce vomiting. Do not give anything to drink. Obtain medical attention without delay.

**NOTES TO PHYSICIAN:** Moderately high acute peroral and percutaneous-toxicity. Moderately severe skin and eye irritant. There is no specific antidote. The major adverse health effects from acute overexposure to this material are mainly due to its central nervous system depressant effects and irritancy. Treatment should be directed at the comfort of symptoms and the clinical condition of the patient.

Due to the irritant nature of the material, any material aspirated during vomiting may cause severe lung injury. Therefore, emesis should not be induced. However, the acute peroral systemic toxicity of the material would indicate that the stomach contents should be evacuated at the earliest possible time, but this should be undertaken by means carrying the least likelihood to result in aspiration (e.g., the use of gastric lavage and endotracheal intubation).

SECTION VI: REACTIVITY DATA

STABILITY: Stable.  
HAZARDOUS POLYMERIZATION: Will not occur.  
INCOMPATIBILITIES/CONDITIONS TO AVOID: Strong oxidizers, strong alkali.  
HAZARDOUS DECOMPOSITION PRODUCTS: None cited.

SECTION VII: SPILL OR LEAK PROCEDURES

Wear protective clothing. Flush small spills with water, collect large spills with absorbent material for disposal. Avoid contact with liquid and vapors.

DISPOSAL: Incinerate where appropriate under Federal, State and Local regulations.

SECTION VIII: SPECIAL PRECAUTIONS AND CONTROL MEASURES

At high concentrations of vapor use self-contained breathing apparatus. Always ensure proper ventilation. In production environments wear protective gloves and eye protection as well as a chemical resistant apron.

SECTION IX: SHIPPING INFORMATION

DOT CLASSIFICATION: Not Regulated	IATA CLASSIFICATION: Not Regulated
Proper Shipping Name:	Proper Shipping Name:
Hazard Class:	Hazard Class:
UN No.:	Subsidiary Risks:
Hazard Labeling Required:	UN No.:
	Hazard Labeling Required:

SECTION X: ADDITIONAL INFORMATION

SARA TITLE III REPORTING REQUIREMENTS

Toxic Chemical (Section 313): Not listed.  
Extremely Hazardous Substance (sections 302, 304, 311 and 312): Not listed.

SARA TITLE III PRODUCT HAZARD CATEGORIES

Chronic Health: No  
Acute Health: No  
Fire Hazard: Yes  
Pressure Hazard: No  
Reactivity Hazard: No

TSCA INVENTORY STATUS

N,N,N-Trimethyl-1-Dodecanaminium: Reported/Included  
N-Propoxypropanol: Reported/Included

AUTHORIZED SIGNATURE: \_\_\_\_\_

*Scott Fahy*  
Scott Fahy, Technical Service Manager